	Type	L #	Hits	Search Text	DBs
31	BRS	L31	0	"6044106".pn. and (pilot$1 and carrier$1)	US-PGPUB; USPAT; EPO; JPO
32	BRS	L32	63	(OFDM with pilot$1 with carrier$1 or orthogonal adj2 frequency adj2 division with pilot$1 with carrier$1) same (demodulat$4)	US-PGPUB; USPAT; EPO; JPO
33	BRS	L33	23	32 and differential	US-PGPUB; USPAT; EPO; JPO
34	BRS	L34	298	(pilot$1 with carrier$1) same (demodulat$4 with OFDM or orthogonal adjj2 frequenc$3 adj2 division with demodulat$4)	US-PGPUB; USPAT; EPO; JPO
35	BRS	L35	6	34 same (differential near3 detect$4 or differential near3 circuit$3 or plural$3 adj2 symbol$1 near3 detect$3 or multi$3 adj2 symbol$1 near3 detect$4)	US-PGPUB; USPAT; EPO; JPO
36	BRS	L36	61	(pilot$1 with carrier$1) same (demodulat$4 with OFDM or orthogonal adj2 frequenc$3 adj2 division with demodulat$4)	US-PGPUB; USPAT; EPO; JPO
37	BRS	L37	1	36 same (differential near3 detect$4 or differential near3 circuit$3 or plural$3 adj2 symbol$1 near3 detect$3 or multi$3 adj2 symbol$1 near3 detect$4)	US-PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Err ors
31	2005/06/28 16:32			
32	2005/06/28 16:41			
33	2005/06/28 16:35			
34	2005/06/28 16:53			
35	2005/06/28 16:54			
36	2005/06/28 16:54			
37	2005/06/28 16:55			

	Type	L #	Hits	Search Text	DBs
38	BRS	L38	47	(orthogonal near3 demodulat$4 or OFDM near3 demodulat$4 or "I/Q" near3 demodulat$4 or QPSK near3 demodulat$4) same (differential near3 detect$4 or differential near3 circuit$3 or plural$3 adj2 symbol$1 near3 detect$3 or multi$3 adj2 symbol$1 near3 detect$4)	US-PGPUB; USPAT; EPO; JPO
39	BRS	L39	1580	("S/N" or signal adj2 noise or variance near2 calculat$4 or variance near3 detect$4 or averag$4 near3 detect$4 or averag$3 near3 calculat$4 or "SNR" or noise adj2 ratio or signal adj3 ratio) same (differential near3 detect$4 or differential near3 circuit$3 or plural$3 adj2 symbol$1 near3 detect$3 or multi$3 adj2 symbol$1 near3 detect$4)	US-PGPUB; USPAT; EPO; JPO
40	BRS	L40	8	38 and 39	US-PGPUB; USPAT; EPO; JPO
41	BRS	L41	6105	OFDM or orthogonal$4 with (additive near3 information$1 or additive near3 signal$1 or additive near3 transmit$4 or additive near3 transmission)	US-PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Err ors
38	2005/06/28 16:57			
39	2005/06/28 17:00			
40	2005/06/28 17:19			
41	2005/06/28 17:22			

	Type	L #	Hits	Search Text	DBs
42	BRS	L42	6095	OFDM or orthogonal$4 with (additive near3 information$1 or additive near3 signal$1 or additive near3 transmit$4 or additive near3 transmission) same (sync$3 or synchroniz$9)	US-PGPUB; USPAT; EPO; JPO
43	BRS	L43	165	42 and 34	US-PGPUB; USPAT; EPO; JPO
44	BRS	L44	29	(OFDM or orthogonal$4) with (additive near3 information$1 or additive near3 signal$1 or additive near3 transmit$4 or additive near3 transmission)	US-PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Err ors
42	2005/06/28 17:21			
43	2005/06/28 17:21			
44	2005/06/28 17:22			